

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

Silo	Gas Reading Date	Gas Reading mg/l	Stack Flow Rate l/s	Exhaust Flux g/s	Fumigation State	Hourly Average g/s	Average Wind Speed	Average Wind Direction
Silo: CL104								
	14/03/2017 04:34 PM	17.816	0	0.000	Dosing	0	0	11
	14/03/2017 04:46 PM	18.058	0	0.000	Dosing	0	0	10
	14/03/2017 04:58 PM	17.184	0	0.000	Dosing	0	0	9
	14/03/2017 05:10 PM	17.524	0	0.000	Dosing	0	0	11
	14/03/2017 05:22 PM	22.791	0	0.000	Dosing	0	0	10
	14/03/2017 05:34 PM	18.131	0	0.000	Dosing	0	0	9
	14/03/2017 05:47 PM	19.951	0	0.000	Dosing	0.000	0	10
	14/03/2017 05:59 PM	15.922	0	0.000	Dosing	0.000	0	10
	14/03/2017 06:11 PM	0	0	0.000	Dosing	0.000	0	10
	14/03/2017 06:23 PM	21.456	0	0.000	Dosing	0.000	0	9
	14/03/2017 06:35 PM	22.306	0	0.000	Dosing	0.000	0	8
	14/03/2017 06:47 PM	12.816	0	0.000	Dosing	0.000	0	8
	14/03/2017 06:59 PM	43.107	0	0.000	Dosing	0.000	0	9
	14/03/2017 07:11 PM	48.835	0	0.000	Dosing	0.000	0.05	10
	14/03/2017 07:23 PM	46.869	0	0.000	Dosing	0.000	0.05	11
	14/03/2017 07:35 PM	45.777	0	0.000	Fumigation	0.000	0	10
	14/03/2017 07:47 PM	52.743	0	0.000	Fumigation	0.000	0	9
	14/03/2017 07:59 PM	58.689	0	0.000	Fumigation	0.000	0	9

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

14/03/2017 08:11 PM	61.068	0	0.000	Fumigation	0.000	0	10
14/03/2017 08:23 PM	8.35	0	0.000	Fumigation	0.000	0	10
14/03/2017 08:35 PM	5.364	0	0.000	Fumigation	0.000	0	10
14/03/2017 08:47 PM	5.823	0	0.000	Fumigation	0.000	0	11
14/03/2017 08:59 PM	63.471	0	0.000	Fumigation	0.000	1.15	10
14/03/2017 09:11 PM	59.199	0	0.000	Fumigation	0.000	0.86	11
14/03/2017 09:23 PM	56.286	0	0.000	Fumigation	0.000	0	10
14/03/2017 09:35 PM	53.956	0	0.000	Fumigation	0.000	0	10
14/03/2017 09:47 PM	60.704	0	0.000	Fumigation	0.000	0	10
14/03/2017 09:59 PM	6.481	0	0.000	Fumigation	0.000	0.24	10
14/03/2017 10:11 PM	59.539	0	0.000	Fumigation	0.000	0.24	11
14/03/2017 10:23 PM	61.214	0	0.000	Fumigation	0.000	0.2	11
14/03/2017 10:35 PM	56.432	0	0.000	Fumigation	0.000	0.01	10
14/03/2017 10:47 PM	54.927	0	0.000	Fumigation	0.000	0	10
14/03/2017 10:59 PM	58.617	0	0.000	Fumigation	0.000	0	10
14/03/2017 11:11 PM	7.427	0	0.000	Fumigation	0.000	0	10
14/03/2017 11:23 PM	54.636	0	0.000	Fumigation	0.000	0	10
14/03/2017 11:35 PM	53.228	0	0.000	Fumigation	0.000	0	10
14/03/2017 11:48 PM	49.951	0	0.000	Fumigation	0.000	0	10
15/03/2017 12:00 AM	53.714	0	0.000	Fumigation	0.000	0	11
15/03/2017 12:12 AM	55.291	0	0.000	Fumigation	0.000	0	10
15/03/2017 12:24 AM	50.898	0	0.000	Fumigation	0.000	0	10
15/03/2017 12:36 AM	54.539	0	0.000	Fumigation	0.000	0	10

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

15/03/2017 12:48 AM	51.845	0	0.000	Fumigation	0.000	0	10
15/03/2017 01:00 AM	49.976	0	0.000	Fumigation	0.000	0	10
15/03/2017 01:12 AM	6.165	0	0.000	Fumigation	0.000	0	10
15/03/2017 01:24 AM	4.757	0	0.000	Fumigation	0.000	0	10
15/03/2017 01:36 AM	48.811	0	0.000	Fumigation	0.000	0.02	11
15/03/2017 01:48 AM	51.383	0	0.000	Fumigation	0.000	0.64	12
15/03/2017 02:00 AM	50.024	0	0.000	Fumigation	0.000	0.11	11
15/03/2017 02:12 AM	50.607	0	0.000	Fumigation	0.000	0	10
15/03/2017 02:24 AM	48.471	0	0.000	Fumigation	0.000	0	9
15/03/2017 02:36 AM	50.85	0	0.000	Fumigation	0.000	0	9
15/03/2017 02:48 AM	48.859	0	0.000	Fumigation	0.000	0.34	11
15/03/2017 03:00 AM	45.655	0	0.000	Fumigation	0.000	0.34	10
15/03/2017 03:12 AM	46.553	0	0.000	Fumigation	0.000	0	9
15/03/2017 03:24 AM	46.432	0	0.000	Fumigation	0.000	0	8
15/03/2017 03:36 AM	4.612	0	0.000	Fumigation	0.000	0	8
15/03/2017 03:48 AM	50.51	0	0.000	Fumigation	0.000	0	8
15/03/2017 04:00 AM	48.495	0	0.000	Fumigation	0.000	0	8
15/03/2017 04:12 AM	46.772	0	0.000	Fumigation	0.000	0	8
15/03/2017 04:24 AM	50.218	0	0.000	Fumigation	0.000	0	8
15/03/2017 04:36 AM	47.767	0	0.000	Fumigation	0.000	0	10
15/03/2017 04:48 AM	50.049	0	0.000	Fumigation	0.000	0	9
15/03/2017 05:00 AM	49.393	0	0.000	Fumigation	0.000	0	9
15/03/2017 05:12 AM	47.015	0	0.000	Fumigation	0.000	0	8

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

15/03/2017 05:24 AM	47.039	0	0.000	Fumigation	0.000	0	9
15/03/2017 05:36 AM	49.199	0	0.000	Fumigation	0.000	0.35	10
15/03/2017 05:49 AM	44.757	0	0.000	Fumigation	0.000	0.18	11
15/03/2017 06:01 AM	48.01	0	0.000	Fumigation	0.000	0.37	11
15/03/2017 06:13 AM	47.354	0	0.000	Fumigation	0.000	0	11
15/03/2017 06:25 AM	47.816	0	0.000	Fumigation	0.000	0	10
15/03/2017 06:37 AM	44.029	0	0.000	Fumigation	0.000	0	9
15/03/2017 06:49 AM	47.282	0	0.000	Fumigation	0.000	0	10
15/03/2017 07:01 AM	42.476	0	0.000	Fumigation	0.000	0	11
15/03/2017 07:13 AM	22.379	0	0.000	Fumigation	0.000	0.01	10
15/03/2017 07:25 AM	43.252	0	0.000	Fumigation	0.000	0.2	11
15/03/2017 07:37 AM	46.893	0	0.000	Fumigation	0.000	0.02	11
15/03/2017 07:49 AM	45.728	0	0.000	Fumigation	0.000	0.01	11
15/03/2017 08:01 AM	45.243	0	0.000	Fumigation	0.000	0	11
15/03/2017 08:13 AM	42.451	0	0.000	Fumigation	0.000	1.09	11
15/03/2017 08:25 AM	46.942	0	0.000	Fumigation	0.000	0.23	11
15/03/2017 12:02 PM	0	0	0.000	Fumigation	0.000	0	9
15/03/2017 12:14 PM	0.68	0	0.000	Fumigation	0.000	0	10
15/03/2017 12:26 PM	0	0	0.000	Fumigation	0.000	0	10
15/03/2017 12:38 PM	0	0	0.000	Fumigation	0.000	0	9
15/03/2017 12:50 PM	0.752	0	0.000	Fumigation	0.000	0	10
15/03/2017 01:02 PM	0.049	0	0.000	Fumigation	0.000	0	10
15/03/2017 01:14 PM	0	0	0.000	Fumigation	0.000	0	10

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

15/03/2017 01:26 PM	0.655	0	0.000	Fumigation	0.000	0	9
15/03/2017 01:38 PM	0.049	0	0.000	Fumigation	0.000	0	10
15/03/2017 01:50 PM	0.024	0	0.000	Fumigation	0.000	0	10
15/03/2017 02:02 PM	0	0	0.000	Fumigation	0.000	0.01	10
15/03/2017 02:14 PM	0.073	0	0.000	Fumigation	0.000	0	9
15/03/2017 02:26 PM	0	0	0.000	Fumigation	0.000	0	9
15/03/2017 02:38 PM	0	0	0.000	Fumigation	0.000	0	10
15/03/2017 02:50 PM	0.121	0	0.000	Fumigation	0.000	0	11
15/03/2017 03:02 PM	0.17	0	0.000	Fumigation	0.000	0	11
15/03/2017 03:14 PM	0	0	0.000	Fumigation	0.000	0	10
15/03/2017 03:26 PM	0	0	0.000	Fumigation	0.000	0	10
15/03/2017 03:38 PM	0	0	0.000	Fumigation	0.000	0	10
15/03/2017 03:50 PM	0	0	0.000	Fumigation	0.000	0	10
15/03/2017 04:02 PM	0.68	0	0.000	Fumigation	0.000	0	10
15/03/2017 04:14 PM	0	0	0.000	Fumigation	0.000	0	10
15/03/2017 04:26 PM	0.073	0	0.000	Fumigation	0.000	0	10
15/03/2017 04:38 PM	0.728	0	0.000	Fumigation	0.000	0	11
15/03/2017 04:50 PM	0	0	0.000	Fumigation	0.000	0	10
15/03/2017 05:02 PM	0.049	0	0.000	Fumigation	0.000	0	10
15/03/2017 05:14 PM	0.874	0	0.000	Fumigation	0.000	0	10
15/03/2017 05:26 PM	0	0	0.000	Fumigation	0.000	0	10
15/03/2017 05:38 PM	0	0	0.000	Fumigation	0.000	0	10
15/03/2017 05:51 PM	0.583	0	0.000	Fumigation	0.000	0	10

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

15/03/2017 06:03 PM	0	0	0.000	Fumigation	0.000	0	10
15/03/2017 06:15 PM	0	0	0.000	Fumigation	0.000	0	11
15/03/2017 06:27 PM	0.68	0	0.000	Fumigation	0.000	0	11
15/03/2017 06:39 PM	0.024	0	0.000	Fumigation	0.000	0	10
15/03/2017 06:51 PM	0	0	0.000	Fumigation	0.000	0	10
15/03/2017 07:03 PM	0	0	0.000	Fumigation	0.000	0	11
15/03/2017 07:15 PM	0	0	0.000	Fumigation	0.000	0	11
15/03/2017 07:27 PM	0.097	0	0.000	Fumigation	0.000	0	10
15/03/2017 07:39 PM	0	0	0.000	Fumigation	0.000	0	11
15/03/2017 07:51 PM	0.073	0	0.000	Fumigation	0.000	0	10
15/03/2017 08:03 PM	0	0	0.000	Fumigation	0.000	0	10
15/03/2017 08:15 PM	0.049	0	0.000	Fumigation	0.000	0	11
15/03/2017 08:27 PM	0.097	0	0.000	Fumigation	0.000	0	10
15/03/2017 08:39 PM	0.097	0	0.000	Fumigation	0.000	0	10
15/03/2017 08:51 PM	0.073	0	0.000	Fumigation	0.000	0	11
15/03/2017 09:03 PM	0	0	0.000	Fumigation	0.000	0.02	11
15/03/2017 09:15 PM	0	0	0.000	Fumigation	0.000	0	11
15/03/2017 09:27 PM	0	0	0.000	Fumigation	0.000	0.06	11
15/03/2017 09:39 PM	0.825	0	0.000	Fumigation	0.000	0	11
15/03/2017 09:51 PM	0	0	0.000	Fumigation	0.000	0	11
15/03/2017 10:03 PM	0	0	0.000	Fumigation	0.000	0	10
15/03/2017 10:15 PM	0.704	0	0.000	Fumigation	0.000	0	10
15/03/2017 10:27 PM	0	0	0.000	Fumigation	0.000	0	10

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

15/03/2017 10:39 PM	0	0	0.000	Fumigation	0.000	0	9
15/03/2017 10:51 PM	0.631	0	0.000	Fumigation	0.000	0	10
15/03/2017 11:03 PM	0	0	0.000	Fumigation	0.000	0	9
15/03/2017 11:15 PM	0.049	0	0.000	Fumigation	0.000	0	9
15/03/2017 11:27 PM	0.801	0	0.000	Fumigation	0.000	0	9
15/03/2017 11:39 PM	0.024	0	0.000	Fumigation	0.000	0	8
15/03/2017 11:52 PM	0.073	0	0.000	Fumigation	0.000	0	9
16/03/2017 12:04 AM	0	0	0.000	Fumigation	0.000	0	8
16/03/2017 12:16 AM	0	0	0.000	Fumigation	0.000	0	8
16/03/2017 12:28 AM	0	0	0.000	Fumigation	0.000	0	8
16/03/2017 12:40 AM	0.121	0	0.000	Fumigation	0.000	0	8
16/03/2017 12:52 AM	0	0	0.000	Fumigation	0.000	0	8
16/03/2017 01:04 AM	0.024	0	0.000	Fumigation	0.000	0	8
16/03/2017 01:16 AM	0	0	0.000	Fumigation	0.000	0	8
16/03/2017 01:28 AM	0	0	0.000	Fumigation	0.000	0	8
16/03/2017 01:40 AM	0.073	0	0.000	Fumigation	0.000	0	8
16/03/2017 01:52 AM	0.073	0	0.000	Fumigation	0.000	0	8
16/03/2017 02:04 AM	0.388	0	0.000	Fumigation	0.000	0	8
16/03/2017 02:16 AM	0.073	0	0.000	Fumigation	0.000	0	9
16/03/2017 02:28 AM	0.097	0	0.000	Fumigation	0.000	0	10
16/03/2017 02:40 AM	0.752	0	0.000	Fumigation	0.000	0	10
16/03/2017 02:52 AM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 03:04 AM	0.049	0	0.000	Fumigation	0.000	0	10

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

16/03/2017 03:16 AM	0.728	0	0.000	Fumigation	0.000	0	10
16/03/2017 03:28 AM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 03:40 AM	0	0	0.000	Fumigation	0.000	0	11
16/03/2017 03:52 AM	0.704	0	0.000	Fumigation	0.000	0	11
16/03/2017 04:04 AM	0	0	0.000	Fumigation	0.000	0	11
16/03/2017 04:16 AM	0.146	0	0.000	Fumigation	0.000	0.03	10
16/03/2017 04:28 AM	0.631	0	0.000	Fumigation	0.000	0	10
16/03/2017 04:40 AM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 04:52 AM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 05:04 AM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 05:16 AM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 05:28 AM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 05:40 AM	0.17	0	0.000	Fumigation	0.000	0.01	10
16/03/2017 05:53 AM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 06:05 AM	0.049	0	0.000	Fumigation	0.000	0	8
16/03/2017 06:17 AM	0	0	0.000	Fumigation	0.000	0	8
16/03/2017 06:29 AM	0	0	0.000	Fumigation	0.000	0	8
16/03/2017 06:41 AM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 06:53 AM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 07:05 AM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 07:17 AM	0	0	0.000	Fumigation	0.000	0.23	10
16/03/2017 07:29 AM	0.024	0	0.000	Fumigation	0.000	0	10
16/03/2017 07:41 AM	0	0	0.000	Fumigation	0.000	0.13	10

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

16/03/2017 07:53 AM	0	0	0.000	Fumigation	0.000	0.13	10
16/03/2017 08:05 AM	0.121	0	0.000	Fumigation	0.000	0	10
16/03/2017 08:17 AM	0.534	0	0.000	Fumigation	0.000	0	10
16/03/2017 08:29 AM	0.024	0	0.000	Fumigation	0.000	0	10
16/03/2017 08:41 AM	0.073	0	0.000	Fumigation	0.000	0	10
16/03/2017 08:53 AM	0.752	0	0.000	Fumigation	0.000	0	10
16/03/2017 09:05 AM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 09:17 AM	0.024	0	0.000	Fumigation	0.000	0	10
16/03/2017 09:29 AM	0.728	0	0.000	Fumigation	0.000	0	9
16/03/2017 09:41 AM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 09:53 AM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 10:05 AM	0.631	0	0.000	Fumigation	0.000	0	8
16/03/2017 10:17 AM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 10:29 AM	0.073	0	0.000	Fumigation	0.000	0	9
16/03/2017 10:41 AM	0.073	0	0.000	Fumigation	0.000	0	9
16/03/2017 10:53 AM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 11:05 AM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 11:17 AM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 11:29 AM	0.049	0	0.000	Fumigation	0.000	0	8
16/03/2017 11:41 AM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 11:54 AM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 12:06 PM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 12:18 PM	0.024	0	0.000	Fumigation	0.000	0	8

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

16/03/2017 12:30 PM	0.049	0	0.000	Fumigation	0.000	0	8
16/03/2017 12:42 PM	0	0	0.000	Fumigation	0.000	0	8
16/03/2017 12:54 PM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 01:06 PM	0.024	0	0.000	Fumigation	0.000	0	10
16/03/2017 01:18 PM	0.607	0	0.000	Fumigation	0.000	0	10
16/03/2017 01:30 PM	0	0	0.000	Fumigation	0.000	0	11
16/03/2017 01:42 PM	0	0	0.000	Fumigation	0.000	0.1	11
16/03/2017 01:54 PM	0.728	0	0.000	Fumigation	0.000	0	10
16/03/2017 02:06 PM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 02:18 PM	0	0	0.000	Fumigation	0.000	0.23	10
16/03/2017 02:30 PM	0.825	0	0.000	Fumigation	0.000	0.32	11
16/03/2017 02:42 PM	0	0	0.000	Fumigation	0.000	0.06	11
16/03/2017 02:54 PM	0.073	0	0.000	Fumigation	0.000	0.13	11
16/03/2017 03:06 PM	0.631	0	0.000	Fumigation	0.000	0.87	12
16/03/2017 03:18 PM	0.049	0	0.000	Fumigation	0.000	0.75	11
16/03/2017 03:30 PM	0	0	0.000	Fumigation	0.000	0.5	10
16/03/2017 03:42 PM	0.631	0	0.000	Fumigation	0.000	0.53	11
16/03/2017 03:54 PM	0	0	0.000	Fumigation	0.000	2.2	12
16/03/2017 04:06 PM	0	0	0.000	Fumigation	0.000	0.96	12
16/03/2017 04:18 PM	0.097	0	0.000	Fumigation	0.000	1.13	12
16/03/2017 04:30 PM	0	0	0.000	Fumigation	0.000	0.01	11
16/03/2017 04:42 PM	0	0	0.000	Fumigation	0.000	0.17	10
16/03/2017 04:54 PM	0.146	0	0.000	Fumigation	0.000	0.41	11

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

16/03/2017 05:06 PM	0	0	0.000	Fumigation	0.000	0	11
16/03/2017 05:18 PM	0	0	0.000	Fumigation	0.000	0.25	11
16/03/2017 05:30 PM	0.024	0	0.000	Fumigation	0.000	0.01	11
16/03/2017 05:42 PM	0.024	0	0.000	Fumigation	0.000	0	10
16/03/2017 05:55 PM	0.121	0	0.000	Fumigation	0.000	0	10
16/03/2017 06:07 PM	0.073	0	0.000	Fumigation	0.000	0	9
16/03/2017 06:19 PM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 06:31 PM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 06:43 PM	0.073	0	0.000	Fumigation	0.000	0	9
16/03/2017 06:55 PM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 07:07 PM	0.073	0	0.000	Fumigation	0.000	0	8
16/03/2017 07:19 PM	0.049	0	0.000	Fumigation	0.000	0	8
16/03/2017 07:31 PM	0.631	0	0.000	Fumigation	0.000	0	8
16/03/2017 07:43 PM	0	0	0.000	Fumigation	0.000	0	8
16/03/2017 07:55 PM	0.049	0	0.000	Fumigation	0.000	0.64	10
16/03/2017 08:07 PM	0.68	0	0.000	Fumigation	0.000	0.32	11
16/03/2017 08:19 PM	0	0	0.000	Fumigation	0.000	2.56	12
16/03/2017 08:31 PM	0.073	0	0.000	Fumigation	0.000	0.13	11
16/03/2017 08:43 PM	0.51	0	0.000	Fumigation	0.000	0.48	11
16/03/2017 08:55 PM	0.024	0	0.000	Fumigation	0.000	0	11
16/03/2017 09:07 PM	0	0	0.000	Fumigation	0.000	0	11
16/03/2017 09:19 PM	0.777	0	0.000	Fumigation	0.000	0	10
16/03/2017 09:31 PM	0.073	0	0.000	Fumigation	0.000	0	11

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

16/03/2017 09:43 PM	0.073	0	0.000	Fumigation	0.000	0	11
16/03/2017 09:55 PM	0.097	0	0.000	Fumigation	0.000	0	10
16/03/2017 10:07 PM	0.121	0	0.000	Fumigation	0.000	0	9
16/03/2017 10:19 PM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 10:31 PM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 10:43 PM	0.121	0	0.000	Fumigation	0.000	0	9
16/03/2017 10:55 PM	0.024	0	0.000	Fumigation	0.000	0.04	11
16/03/2017 11:07 PM	0.121	0	0.000	Fumigation	0.000	0.04	11
16/03/2017 11:19 PM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 11:31 PM	0	0	0.000	Fumigation	0.000	0	10
16/03/2017 11:43 PM	0	0	0.000	Fumigation	0.000	0	9
16/03/2017 11:56 PM	0.024	0	0.000	Fumigation	0.000	0	10
17/03/2017 12:08 AM	0.17	0	0.000	Fumigation	0.000	0	10
17/03/2017 12:20 AM	0	0	0.000	Fumigation	0.000	0	10
17/03/2017 12:32 AM	0	0	0.000	Fumigation	0.000	0	11
17/03/2017 12:44 AM	0	0	0.000	Fumigation	0.000	0	11
17/03/2017 12:56 AM	0.218	0	0.000	Fumigation	0.000	0	10
17/03/2017 01:08 AM	0.85	0	0.000	Fumigation	0.000	0	10
17/03/2017 01:20 AM	0	0	0.000	Fumigation	0.000	0	11
17/03/2017 01:32 AM	0.146	0	0.000	Fumigation	0.000	0	11
17/03/2017 01:44 AM	0.801	0	0.000	Fumigation	0.000	0.12	11
17/03/2017 01:56 AM	0	0	0.000	Fumigation	0.000	0	11
17/03/2017 02:08 AM	0	0	0.000	Fumigation	0.000	0.1	11

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

17/03/2017 02:20 AM	0.777	0	0.000	Fumigation	0.000	0.15	11
17/03/2017 02:32 AM	0	0	0.000	Fumigation	0.000	0	11
17/03/2017 02:44 AM	0	0	0.000	Fumigation	0.000	1.63	12
17/03/2017 02:56 AM	0.121	0	0.000	Fumigation	0.000	0.21	11
17/03/2017 03:08 AM	0.073	0	0.000	Fumigation	0.000	0	11
17/03/2017 03:20 AM	0.146	0	0.000	Fumigation	0.000	1.13	11
17/03/2017 03:32 AM	0	0	0.000	Fumigation	0.000	0.85	11
17/03/2017 03:44 AM	0.024	0	0.000	Fumigation	0.000	0	11
17/03/2017 03:56 AM	0	0	0.000	Fumigation	0.000	0.18	11
17/03/2017 04:08 AM	0	0	0.000	Fumigation	0.000	0.16	11
17/03/2017 04:20 AM	0.218	0	0.000	Fumigation	0.000	0.09	11
17/03/2017 04:32 AM	0.024	0	0.000	Fumigation	0.000	0.23	11
17/03/2017 04:44 AM	0.097	0	0.000	Fumigation	0.000	0.2	11
17/03/2017 04:56 AM	0	0	0.000	Fumigation	0.000	0.28	11
19/03/2017 09:11 PM	0.614	1696	1.041	Initial Purging	0.174	0	9
19/03/2017 09:24 PM	0.708	1696	1.201	Initial Purging	0.374	0	9
19/03/2017 09:36 PM	1.224	1696	2.076	Initial Purging	0.720	0	10
19/03/2017 10:00 PM	0.005	1696	0.008	Initial Purging	0.721	0	9
19/03/2017 10:12 PM	0.008	1696	0.014	Initial Purging	0.723	0	10
19/03/2017 10:24 PM	0.008	1696	0.014	Initial Purging	0.726	0	10
19/03/2017 10:36 PM	0.005	1696	0.008	Initial Purging	0.553	0	9
19/03/2017 10:48 PM	0.006	1696	0.010	Initial Purging	0.355	0	9
19/03/2017 11:00 PM	0.007	1696	0.012	Initial Purging	0.011	0	10

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

19/03/2017 11:12 PM	0.009	1696	0.015	Initial Purging	0.012	0	10
19/03/2017 11:24 PM	0.007	1696	0.012	Initial Purging	0.012	0	9
19/03/2017 11:36 PM	0.008	1696	0.014	Initial Purging	0.012	0	9
19/03/2017 11:48 PM	0.009	1696	0.015	Initial Purging	0.013	0	9
20/03/2017 12:00 AM	0.022	1696	0.037	Initial Purging	0.018	0	9
20/03/2017 12:12 AM	0.007	1696	0.012	Initial Purging	0.018	0	9
20/03/2017 12:24 AM	0.006	1696	0.010	Initial Purging	0.017	0	9
20/03/2017 12:36 AM	0.025	1696	0.042	Initial Purging	0.022	0	9
20/03/2017 12:48 AM	0.008	1696	0.014	Initial Purging	0.022	0	9
20/03/2017 01:00 AM	0.01	1696	0.017	Initial Purging	0.022	0	9
20/03/2017 01:12 AM	0.022	1696	0.037	Initial Purging	0.022	0	8
20/03/2017 01:24 AM	0.001	1696	0.002	Initial Purging	0.020	0	8
20/03/2017 01:36 AM	0.005	1696	0.008	Initial Purging	0.020	0	8
20/03/2017 01:48 AM	0.022	1696	0.037	Initial Purging	0.019	0	8
20/03/2017 02:00 AM	0.011	1696	0.019	Initial Purging	0.020	0	8
20/03/2017 02:12 AM	0.007	1696	0.012	Initial Purging	0.019	0	8
20/03/2017 02:24 AM	0.003	1696	0.005	Initial Purging	0.014	0	8
20/03/2017 02:36 AM	0.006	1696	0.010	Initial Purging	0.015	0	8
20/03/2017 02:48 AM	0.005	1696	0.008	Initial Purging	0.015	0	8
20/03/2017 03:00 AM	0.009	1696	0.015	Initial Purging	0.012	0	8
20/03/2017 03:12 AM	0.004	1696	0.007	Initial Purging	0.010	0	8
20/03/2017 03:25 AM	0.006	1696	0.010	Initial Purging	0.009	0	8
20/03/2017 03:37 AM	0.007	1696	0.012	Initial Purging	0.010	0	8

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

20/03/2017 03:49 AM	0.004	1696	0.007	Initial Purging	0.010	0	8
20/03/2017 04:01 AM	0.003	1696	0.005	Initial Purging	0.009	0	8
20/03/2017 04:13 AM	0.007	1696	0.012	Initial Purging	0.009	0	7
20/03/2017 04:25 AM	0.01	1696	0.017	Initial Purging	0.010	0	7
20/03/2017 04:37 AM	0.006	1696	0.010	Initial Purging	0.010	0	8
20/03/2017 04:49 AM	0.008	1696	0.014	Initial Purging	0.011	0	8
20/03/2017 05:01 AM	0.007	1696	0.012	Initial Purging	0.012	0	8
20/03/2017 05:13 AM	0.007	1696	0.012	Initial Purging	0.013	0	8
20/03/2017 05:25 AM	0.008	1696	0.014	Initial Purging	0.013	0	7
20/03/2017 05:37 AM	0.021	1696	0.036	Initial Purging	0.016	0	7
20/03/2017 05:49 AM	0.005	1696	0.008	Initial Purging	0.016	0	8
20/03/2017 06:01 AM	0.007	1696	0.012	Initial Purging	0.016	0	7
20/03/2017 06:13 AM	0.024	1696	0.041	Initial Purging	0.020	0	8
20/03/2017 06:25 AM	0.006	1696	0.010	Initial Purging	0.020	0	8
20/03/2017 06:37 AM	0.005	1696	0.008	Initial Purging	0.019	0	8
20/03/2017 06:49 AM	0.026	1696	0.044	Initial Purging	0.021	0	8
20/03/2017 07:01 AM	0.009	1696	0.015	Initial Purging	0.022	0	8
20/03/2017 07:13 AM	0.006	1696	0.010	Initial Purging	0.021	0	8
20/03/2017 07:25 AM	0.021	1696	0.036	Initial Purging	0.021	0	8
20/03/2017 07:37 AM	0.007	1696	0.012	Initial Purging	0.021	0	8
20/03/2017 07:49 AM	0.007	1696	0.012	Initial Purging	0.021	0	8
20/03/2017 08:01 AM	0.007	1696	0.012	Initial Purging	0.016	0	8
20/03/2017 08:13 AM	0.008	1696	0.014	Initial Purging	0.016	0	8

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

20/03/2017 08:25 AM	0.005	1696	0.008	Initial Purging	0.016	0	8
20/03/2017 08:37 AM	0.01	1696	0.017	Initial Purging	0.012	0	8
20/03/2017 08:49 AM	0.006	1696	0.010	Initial Purging	0.012	0	8
20/03/2017 09:01 AM	0.007	1696	0.012	Initial Purging	0.012	0	9
20/03/2017 09:13 AM	0.007	1696	0.012	Initial Purging	0.012	0	9
20/03/2017 09:26 AM	0.007	1696	0.012	Purging	0.012	0	9
20/03/2017 09:38 AM	0.005	1696	0.008	Purging	0.012	0	9
20/03/2017 09:50 AM	0.006	1696	0.010	Purging	0.011	0	9
20/03/2017 10:02 AM	0.006	1696	0.010	Purging	0.011	0	9
20/03/2017 10:14 AM	0.004	1696	0.007	Purging	0.010	0	9
20/03/2017 10:26 AM	0.008	1696	0.014	Purging	0.010	0	9
20/03/2017 10:38 AM	0.024	1696	0.041	Purging	0.015	0	9
20/03/2017 10:50 AM	0.009	1696	0.015	Purging	0.016	0	9
20/03/2017 11:50 AM	0.023	1696	0.039	Purging	0.021	0	10
20/03/2017 12:02 PM	0.006	1696	0.010	Purging	0.021	0	10
20/03/2017 12:14 PM	0.007	1696	0.012	Purging	0.022	0	10
20/03/2017 12:26 PM	0.022	1696	0.037	Purging	0.026	0	9
20/03/2017 12:38 PM	0.005	1696	0.008	Purging	0.020	0	10
20/03/2017 12:50 PM	0.008	1696	0.014	Purging	0.020	0	10
20/03/2017 01:02 PM	0.01	1696	0.017	Purging	0.016	0	10
20/03/2017 01:14 PM	0.005	1696	0.008	Purging	0.016	0	10
20/03/2017 01:26 PM	0.005	1696	0.008	Purging	0.016	0	10
20/03/2017 01:38 PM	0.005	1696	0.008	Purging	0.011	0	10

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

20/03/2017 01:50 PM	0.01	1696	0.017	Purging	0.012	0	10
20/03/2017 02:02 PM	0.006	1696	0.010	Purging	0.012	0	9
20/03/2017 02:14 PM	0.007	1696	0.012	Purging	0.011	0	10
20/03/2017 02:26 PM	0.007	1696	0.012	Purging	0.011	0	10
20/03/2017 02:38 PM	0.007	1696	0.012	Purging	0.012	0	10
20/03/2017 02:50 PM	0.007	1696	0.012	Purging	0.012	0	10
20/03/2017 03:02 PM	0.014	1696	0.024	Purging	0.014	0	10
20/03/2017 03:14 PM	0.009	1696	0.015	Purging	0.014	0	10
20/03/2017 03:27 PM	0.006	1696	0.010	Purging	0.014	0	10
20/03/2017 03:39 PM	0.021	1696	0.036	Purging	0.018	0	10
20/03/2017 03:51 PM	0.006	1696	0.010	Purging	0.018	0	9
20/03/2017 04:03 PM	0.008	1696	0.014	Purging	0.018	0	9
20/03/2017 04:15 PM	0.025	1696	0.042	Purging	0.021	0	10
20/03/2017 04:27 PM	0.405	1696	0.687	Purging	0.133	0	9
20/03/2017 04:39 PM	0.452	1696	0.767	Purging	0.259	0	9
20/03/2017 04:51 PM	0.018	1696	0.031	Purging	0.258	0	9
20/03/2017 05:03 PM	0.003	1696	0.005	Purging	0.258	0	9
20/03/2017 05:15 PM	0.009	1696	0.015	Purging	0.258	0	9
20/03/2017 05:27 PM	0.009	1696	0.015	Purging	0.253	0	10
20/03/2017 05:39 PM	0.052	1696	0.088	Purging	0.153	0	10
20/03/2017 05:51 PM	0.075	1696	0.127	Purging	0.047	0	10
20/03/2017 06:03 PM	0.24	1696	0.407	Purging	0.110	0	10
20/03/2017 06:15 PM	0.368	1696	0.624	Purging	0.213	0	9

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

20/03/2017 06:27 PM	0.337	1696	0.572	Purging	0.306	0	9
20/03/2017 06:39 PM	0.345	1696	0.585	Purging	0.401	0	10
20/03/2017 06:51 PM	0.296	1696	0.502	Purging	0.470	0	10
20/03/2017 07:03 PM	0.241	1696	0.409	Purging	0.516	0	11
20/03/2017 07:15 PM	0.24	1696	0.407	Purging	0.516	0	11
20/03/2017 07:27 PM	0.209	1696	0.354	Purging	0.471	0	11
20/03/2017 07:39 PM	0.165	1696	0.280	Purging	0.423	0.01	11
20/03/2017 07:51 PM	0.15	1696	0.254	Purging	0.368	0	10
20/03/2017 08:03 PM	0.148	1696	0.251	Purging	0.326	0	10
20/03/2017 08:15 PM	0.121	1696	0.205	Purging	0.292	0	10
20/03/2017 08:27 PM	0.122	1696	0.207	Purging	0.259	0	10
20/03/2017 08:39 PM	0.109	1696	0.185	Purging	0.230	0	10
20/03/2017 08:51 PM	0.082	1696	0.139	Purging	0.207	0	10
20/03/2017 09:03 PM	0.086	1696	0.146	Purging	0.189	0	9
20/03/2017 09:15 PM	0.082	1696	0.139	Purging	0.170	0	9
20/03/2017 09:28 PM	0.059	1696	0.100	Purging	0.153	0	9
20/03/2017 09:40 PM	0.063	1696	0.107	Purging	0.136	0	9
20/03/2017 09:52 PM	0.065	1696	0.110	Purging	0.124	0	9
20/03/2017 10:04 PM	0.005	1696	0.008	Purging	0.102	0	9
20/03/2017 10:16 PM	0.005	1696	0.008	Purging	0.079	0	9
20/03/2017 10:28 PM	0.01	1696	0.017	Purging	0.059	0	9
20/03/2017 10:40 PM	0.005	1696	0.008	Purging	0.043	0	9
20/03/2017 10:52 PM	0.006	1696	0.010	Purging	0.027	0	8

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

20/03/2017 11:04 PM	0.008	1696	0.014	Purging	0.011	0	8
20/03/2017 11:16 PM	0.005	1696	0.008	Purging	0.011	0	9
20/03/2017 11:28 PM	0.005	1696	0.008	Purging	0.011	0	9
20/03/2017 11:40 PM	0.005	1696	0.008	Purging	0.010	0	9
20/03/2017 11:52 PM	0.006	1696	0.010	Purging	0.010	0	8
21/03/2017 12:04 AM	0.005	1696	0.008	Purging	0.010	0	8
21/03/2017 12:16 AM	0.007	1696	0.012	Purging	0.009	0	8
21/03/2017 12:28 AM	0.004	1696	0.007	Purging	0.009	0	8
21/03/2017 12:40 AM	0.006	1696	0.010	Purging	0.009	0	8
21/03/2017 12:52 AM	0.004	1696	0.007	Purging	0.009	0	8
21/03/2017 01:04 AM	0.022	1696	0.037	Purging	0.014	0	8
21/03/2017 01:16 AM	0.004	1696	0.007	Purging	0.013	0	8
21/03/2017 01:28 AM	0.002	1696	0.003	Purging	0.012	0	8
21/03/2017 01:40 AM	0.025	1696	0.042	Purging	0.018	0	8
21/03/2017 01:52 AM	0.008	1696	0.014	Purging	0.018	0	8
21/03/2017 02:04 AM	0.005	1696	0.008	Purging	0.019	0	8
21/03/2017 02:16 AM	0.021	1696	0.036	Purging	0.018	0	8
21/03/2017 02:28 AM	0.006	1696	0.010	Purging	0.019	0	8
21/03/2017 02:40 AM	0.007	1696	0.012	Purging	0.020	0	8
21/03/2017 02:52 AM	0.019	1696	0.032	Purging	0.019	0	8
21/03/2017 03:04 AM	0.008	1696	0.014	Purging	0.019	0	8
21/03/2017 03:16 AM	0.008	1696	0.014	Purging	0.020	0	8
21/03/2017 03:29 AM	0.023	1696	0.039	Purging	0.020	0	8

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

21/03/2017 03:41 AM	0.009	1696	0.015	Purging	0.021	0	8
21/03/2017 03:53 AM	0.007	1696	0.012	Purging	0.021	0	8
21/03/2017 04:05 AM	0.007	1696	0.012	Purging	0.018	0	8
21/03/2017 04:17 AM	0.006	1696	0.010	Purging	0.017	0	8
21/03/2017 04:29 AM	0.005	1696	0.008	Purging	0.016	0	8
21/03/2017 04:41 AM	0.002	1696	0.003	Purging	0.010	0	8
21/03/2017 04:53 AM	0.005	1696	0.008	Purging	0.009	0	8
21/03/2017 05:05 AM	0.007	1696	0.012	Purging	0.009	0	8
21/03/2017 05:17 AM	0.007	1696	0.012	Purging	0.009	0	8
21/03/2017 05:29 AM	0.006	1696	0.010	Purging	0.009	0	8
21/03/2017 05:41 AM	0.006	1696	0.010	Purging	0.009	0	8
21/03/2017 05:53 AM	0.006	1696	0.010	Purging	0.010	0	8
21/03/2017 06:05 AM	0	1696	0.000	Purging	0.009	0	8
21/03/2017 06:17 AM	0.004	1696	0.007	Purging	0.008	0	8
21/03/2017 06:29 AM	0.007	1696	0.012	Purging	0.008	0	8
21/03/2017 06:41 AM	0.025	1696	0.042	Purging	0.014	0	8
21/03/2017 06:53 AM	0.006	1696	0.010	Purging	0.014	0	8
21/03/2017 07:05 AM	0.003	1696	0.005	Purging	0.013	0	7
21/03/2017 07:17 AM	0.022	1696	0.037	Purging	0.019	0	7
21/03/2017 07:29 AM	0.01	1696	0.017	Purging	0.021	0	7
21/03/2017 07:41 AM	0.005	1696	0.008	Purging	0.020	0	7
21/03/2017 07:53 AM	0.027	1696	0.046	Purging	0.021	0	8
21/03/2017 08:05 AM	0.006	1696	0.010	Purging	0.021	0	8

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

21/03/2017 08:17 AM	0.006	1696	0.010	Purging	0.021	0	8
21/03/2017 08:29 AM	0.02	1696	0.034	Purging	0.021	0	8
21/03/2017 08:41 AM	0.005	1696	0.008	Purging	0.020	0	8
21/03/2017 08:53 AM	0.004	1696	0.007	Purging	0.019	0	7
21/03/2017 09:05 AM	0.021	1696	0.036	Purging	0.018	0	8
21/03/2017 09:17 AM	0.007	1696	0.012	Purging	0.018	0	8
21/03/2017 09:30 AM	0.005	1696	0.008	Purging	0.018	0	8
21/03/2017 09:42 AM	0.007	1696	0.012	Purging	0.014	0	8
21/03/2017 09:54 AM	0.005	1696	0.008	Purging	0.014	0	8
21/03/2017 10:06 AM	0.008	1696	0.014	Purging	0.015	0	8
21/03/2017 10:18 AM	0.008	1696	0.014	Purging	0.011	0	8
21/03/2017 10:30 AM	0.004	1696	0.007	Purging	0.010	0	8
21/03/2017 10:42 AM	0.006	1696	0.010	Purging	0.011	0	8
21/03/2017 10:54 AM	0.002	1696	0.003	Purging	0.009	0	8
21/03/2017 11:06 AM	0.009	1696	0.015	Purging	0.010	0	8
21/03/2017 11:18 AM	0.005	1696	0.008	Purging	0.010	0	9
21/03/2017 11:30 AM	0.004	1696	0.007	Purging	0.008	0	8
21/03/2017 11:42 AM	0.022	1696	0.037	Purging	0.014	0	8
21/03/2017 11:54 AM	0.005	1696	0.008	Purging	0.013	0	9
21/03/2017 12:06 PM	0.004	1696	0.007	Purging	0.014	0	9
21/03/2017 12:18 PM	0.023	1696	0.039	Purging	0.018	0	9
21/03/2017 12:30 PM	0.005	1696	0.008	Purging	0.018	0	9
21/03/2017 12:42 PM	0.007	1696	0.012	Purging	0.019	0	9

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

21/03/2017 12:54 PM	0.02	1696	0.034	Purging	0.018	0	10
21/03/2017 01:06 PM	0.006	1696	0.010	Purging	0.018	0	9
21/03/2017 01:18 PM	0.01	1696	0.017	Purging	0.020	0	9
21/03/2017 01:30 PM	0.017	1696	0.029	Purging	0.018	0	9
21/03/2017 01:42 PM	0.006	1696	0.010	Purging	0.019	0	9
21/03/2017 01:54 PM	0.008	1696	0.014	Purging	0.019	0	9
21/03/2017 02:06 PM	0.007	1696	0.012	Purging	0.015	0	10
21/03/2017 02:18 PM	0.007	1696	0.012	Purging	0.016	0	9
21/03/2017 02:30 PM	0.007	1696	0.012	Purging	0.015	0	9
21/03/2017 02:42 PM	0.007	1696	0.012	Purging	0.012	0	9
21/03/2017 02:54 PM	0.008	1696	0.014	Purging	0.012	0	9
21/03/2017 03:06 PM	0.005	1696	0.008	Purging	0.012	0	9
21/03/2017 03:18 PM	0.005	1696	0.008	Purging	0.011	0	9
21/03/2017 03:31 PM	0.004	1696	0.007	Purging	0.010	0	9
21/03/2017 03:43 PM	0.006	1696	0.010	Purging	0.010	0	9
21/03/2017 03:55 PM	0.007	1696	0.012	Purging	0.010	0	9
21/03/2017 04:07 PM	0.007	1696	0.012	Purging	0.010	0	9
21/03/2017 04:19 PM	0.006	1696	0.010	Purging	0.010	0	9
21/03/2017 04:31 PM	0.006	1696	0.010	Purging	0.010	0	9
21/03/2017 04:43 PM	0.022	1696	0.037	Purging	0.015	0	9
21/03/2017 04:55 PM	0.005	1696	0.008	Purging	0.015	0	8
21/03/2017 05:07 PM	0.009	1696	0.015	Purging	0.016	0	8
21/03/2017 05:19 PM	0.021	1696	0.036	Purging	0.020	0	9

Fumigation Gas Reading Log

Selected Dates: 14/03/2017 and 23/03/2017

21/03/2017 05:31 PM	0.008	1696	0.014	Purging	0.020	0	9
21/03/2017 05:43 PM	0.007	1696	0.012	Purging	0.020	0	8
21/03/2017 05:55 PM	0.023	1696	0.039	Purging	0.021	0	8
21/03/2017 06:07 PM	0.004	1696	0.007	Purging	0.020	0	8
21/03/2017 06:19 PM	0.004	1696	0.007	Purging	0.019	0	8
21/03/2017 06:31 PM	0.022	1696	0.037	Purging	0.019	0	8
21/03/2017 06:43 PM	0.007	1696	0.012	Purging	0.019	0	8
21/03/2017 06:55 PM	0.006	1696	0.010	Purging	0.019	0	8
21/03/2017 07:07 PM	0.022	1696	0.037	Purging	0.018	0	8
21/03/2017 07:19 PM	0.005	1696	0.008	Purging	0.019	0	9